

MANUFACTURE OF NON-STANDARD CHEESE PRODUCTS

Field of the Invention

10006979 " 120501

The present invention is directed to non-standard cheese products and
5 their methods of manufacture. More particularly, this invention is directed to
the manufacture of non-standard cheese products by blending a cheese
analog or a cream cheese substitute, a standard cheese having the desired
flavor profile, and an acidified dairy slurry. The non-standard cheese
products of the present invention have functional and organoleptic properties
10 similar to standard cheese products in spite of reduced levels of cholesterol
and saturated fats. The non-standard cheese products of the present
invention are soft and easily blended with other food ingredients, making
them ideally suited for use as ingredients in industrial food applications (e.g.,
baked products, dessert fillings, icings, and the like). Especially preferred
15 non-standard cheese products of this invention include soft cheeses such as,
for example, cream cheese and Neufchatel cheese.

Background of the Invention

Cheese products, especially soft cheeses such as cream cheese and
Neufchatel cheese, are often used in the manufacture of industrial food
20 products (e.g., baked products, dessert fillings, icings, and the like). Ideally,
such cheese products provide the taste and texture of natural cheese without
adversely effecting the organoleptic and other properties of the processed
food products into which they are incorporated. Such cheeses are preferably
low cost and have reduced levels of cholesterol and saturated fat.

25 Mixtures of cheese analogs or cream cheese substitutes and natural
cheeses have been used in such applications. Typically such mixtures
contain about 40 to about 80 percent cheese analogs or cream cheese
substitutes and about 20 to about 60 percent natural cheese, wherein the
natural cheese is selected to provide the desired flavor profile. Unfortunately
30 such cheese products are often difficult to incorporate into conventional food

processing or manufacturing lines (i.e., too firm) and/or to blend with other ingredients due to their relatively high viscosities (i.e., too firm). Attempts to produce a soft, functional, and blendable mixture have generally resulted in inferior products which gave less than desirable properties in the food products into which they were intended to be incorporated.

It would be desirable, therefore, to provide a cheese product comprising a mixture of a cheese analog or cream cheese substitute and a natural cheese which is soft and easily blended with other food ingredients for use in the manufacture of industrial food products. It also would be desirable to provide such a soft and blendable cheese product which can be used to prepare industrial food products having excellent organoleptic and other properties. The present invention provides such cheese products and methods for the manufacture of such cheese products.

Summary Of The Invention

The present invention is directed to non-standard cheese products and their methods of manufacture. More particularly, this invention is directed to the manufacture of non-standard cheese products by blending a cheese analog or cream cheese substitute, standard cheese having the desired flavor profile, and an acidified dairy slurry. The non-standard cheese products of the present invention have functional and organoleptic properties similar to standard cheese products in spite of reduced levels of cholesterol and saturated fats. The non-standard cheese products of the present invention are soft and easily blended with other food ingredients, making them ideally suited for use as ingredients in industrial food applications (e.g., baked products, dessert fillings, icings, and the like). Especially preferred non-standard cheese products of this invention include soft cheeses such as, for example, cream cheese and Neufchatel cheese.

The non-standard cheese products of the present invention are prepared by blending about 30 to about 80 percent cheese analogs or cream

cheese substitutes, about 20 to 50 about percent natural cheese, and about 5 to about 50 acidified dairy slurry. More preferably, the non-standard cheese products of the present invention are prepared by blending about 45 to about 65 percent cheese analogs or cream cheese substitutes, about 25 to 35
5 about percent natural cheese, and about 10 to about 25 percent acidified dairy slurry.

The present invention is related to a non-standard cheese product comprising about 30 to about 80 percent cheese analogs or cream cheese substitutes, about 20 to 50 about percent natural cheese, and about 5 to
10 about 50 acidified dairy slurry, wherein the non-standard cheese product is soft and easily blendable with conventional food ingredients in a food processing and manufacturing line. One especially preferred non-standard cheese product of the present invention includes non-standard soft cream cheese comprising about 55 to about 65 percent cheese analogs or cream
15 cheese substitutes, about 20 to 30 about percent natural cheese, and about 10 to about 20 percent acidified dairy slurry, wherein the non-standard cream cheese product is soft and easily blendable with conventional food ingredients in a food processing and manufacturing line and wherein the acidified dairy slurry is prepared by cooking a mixture comprising at least one
20 dairy protein, salt, gum, at least one edible acid, and water. Another especially preferred non-standard cheese product of the present invention includes non-standard Neufchatel cheese comprising about 45 to about 55 percent cheese analogs or cream cheese substitutes, about 25 to 35 about percent Neufchatel cheese, and about 15 to about 25 acidified dairy slurry,
25 wherein the non-standard Neufchatel cheese product is soft and easily blendable with conventional food ingredients in a food processing and manufacturing line and wherein the acidified dairy slurry is prepared by cooking a mixture comprising a dairy protein, salt, gum, at least one edible acid, and water.

10006979 120501

The present invention also relates to a method for preparing a non-standard cheese product, said method comprising (1) cooking a mixture comprising a dairy protein, salt, gum, at least one edible acid, and water to a temperature of about 165 to about 190°F to form an acidified dairy slurry, (2) forming a mixture of about 30 to about 80 percent cheese analog or cream cheese substitute, about 20 to about 50 percent cream cheese, and about 5 to about 50 percent acidified dairy slurry, and (3) blending the mixture for a time sufficient to form the non-standard cheese product, wherein the non-standard cheese product is soft and easily blendable with conventional food ingredients in a food processing and manufacturing line.

Description Of The Drawing

Figure 1 is a general schematic diagram of the process of the invention.

Figure 2 is a detailed schematic diagram of a process of the invention for preparing non-standard cream cheese.

Figure 2 is a detailed schematic diagram of a process of the invention for preparing non-standard Neufchatel cheese.

Details Of The Invention

The non-standard cheese products of the present invention are prepared by blending about 30 to about 80 percent cheese analogs or cream cheese substitutes, about 20 to about 50 percent natural cheese, and about 5 to about 50 percent acidified dairy slurry. More preferably, the non-standard cheese products of the present invention are prepared by blending about 45 to about 65 percent cheese analogs or cream cheese substitutes, about 25 to about 35 percent natural cheese, and about 10 to about 25 percent acidified dairy slurry. The non-standard cheese products of this invention are soft and easily blendable with conventional food ingredients in a food processing and manufacturing line. For purposes of this invention, "soft" as applied to the

non-standard cheese products of this invention relates to a product which is pumpable in conventional food processing lines; such a "soft" product will generally have a texture of about 1000 to about 5000g, and more preferably of about 2500 to about 4000g, at about 40°F. For purposes of this invention,
 5 "easily blendable with conventional food ingredients" is intended to mean that the non-standard cheese products can be easily mixed with other food ingredients using standard mixing devices or techniques normally used in convention food processing lines; generally, such mixing involves low or moderate shear.

10 The acidified dairy slurry is prepared by cooking a mixture comprising a dairy protein, salt, gum, at least one edible acid, and water at a temperature of about 165 to about 190°F for about 8 to about 12 minutes. The cooking step helps to activate the gum and to blend the various ingredients; it may also serve as a pasteurization step. If desired, the acidified dairy slurry can
 15 be homogenized after cooking. Suitable dairy proteins can be derived, for example, from sweet cream, milk protein concentrate, non-fat dry milk, and the like. Suitable gums include, for example, carob bean gum, guar gum, xanthan gum, and the like. Suitable edible acids include, for example, lactic acid, acetic acid, citric acid, phosphoric acid, and the like. Generally, the
 20 acidified dairy slurry contains about 5 to about 95 percent dairy protein source, about 0.5 to about 2.5 percent salt, about 0.2 to about 0.7 percent gum, and about 0.1 to about 1.1 percent edible acid with a total water content of about 45 to about 85 percent. More preferably, the acidified dairy slurry contains about 15 to about 80 percent dairy protein source, about 0.95 to
 25 about 1.45 percent salt, about 0.2 to about 0.6 percent gum, and about 0.3 to about 0.75 percent edible acid with a total water content of about 50 to about 65 percent. Generally, the acidified dairy slurry has a pH of about 4.5 to about 5.1. The water content of the acidified dairy slurry can be varied as needed to obtain the desired viscosity or firmness of the resulting non-

10006979-120504

standard cheese product. Water may be derived from the other components and/or added directly.

10006979-120504

The non-standard cheese products of the present invention are prepared by blending about 5 to about 50 percent acidified dairy slurry, about 5 30 to about 80 percent cream cheese substitute, and about 20 to about 50 percent standard cheese as illustrated in Figure 1. If desired, the non-standard cheese products of this invention may be homogenized after the blending step. Preferably the non-standard cheese products of the present invention contain about 10 to about 40 percent fat, about 50 to about 75 10 percent moisture, and have a texture of about 1000 to about 5000g at about 40°F. More preferably, the non-standard cream cheese products of the present invention contain about 25 to about 40 percent fat, about 50 to about 60 percent moisture, and have a texture of about 2500 to about 4000g at about 40°F; even more preferably, the non-standard cream cheese products 15 of the present invention have target fat and moisture levels of about 34.5 and 54.5 percent, respectively. More preferably, the non-standard Neufchatel cheese products of the present invention contain about 17 to about 25 percent fat, about 60 to about 70 percent moisture, and have a texture of about 1000 to about 3000g at about 40°F; even more preferably, the non-standard Neufchatel cheese products of the present invention have target fat and moisture levels of about 24 and 62 percent, respectively. 20

The cream cheese substitutes for use in the present invention generally contain about 25 to about 40 percent fat and about 50 to about 60 percent moisture; more preferably the cream cheese substitutes for use in 25 this invention contain about 33 to about 36 percent fat and about 52 to about 55 percent moisture (i.e., similar levels as for natural cream cheese) but less than about 10 percent milkfat. According to this invention, a cream cheese substitute is a product which resembles real cream cheese, but contains at least 20 percent partially-hydrogenated vegetable oil and less than 10% milk 30 fat. One especially preferred cream cheese substitute is Kraft Cheezkake

Blend™ from Kraft Food Ingredients (Memphis, Tenn.). The cream cheese substitutes used in the present invention can be prepared, for example, using standard cream cheese production techniques and typically contain milk, partially hydrogenated vegetable oil (e.g., soybean oil), cheese culture, salt, carob bean gum, mono- and diglycerides, vitamin A palmitate, and color. Generally methods suitable for preparing such cream cheese substitutes are illustrated in Figures 2 and 3.

The standard cheeses used to prepare the non-standard cheese products of this invention include, for example, cream cheese, Neufchatel cheese, and other soft-styled cheeses. The standard cheeses can be prepared using conventional techniques well known in the art. General methods suitable for preparing standard cream cheese and Neufchatel cheese are illustrated in Figures 2 and 3, respectively. The standard cheese is generally used to provide the desired flavor profile.

The following examples are provided to illustrate the invention and not to limit it. Unless otherwise indicated, all percentages and ratios are by weight.

EXAMPLE 1. This example illustrates the preparation of an acidified dairy slurry for use in the present invention in order to prepare a low-cost replacement for cream cheese. A slurry was prepared by blending a mixture consisting essentially of about 70.7 percent sweet cream, about 6.5 percent anhydrous milkfat, about 5.35 percent non-fat dry milk, about 1 percent salt, about 0.35 percent gum, about 0.4 percent lactic acid, and about 15.7 percent water. The slurry was then cooked at about 185°F for about 8 minutes and then homogenized at about 4500 psi to form the acidified dairy slurry. The acidified dairy slurry had a pH of about 4.9 and contained about 54.4 percent moisture and about 34.5 percent fat.

EXAMPLE 2. This example illustrates the preparation of a non-standard cream cheese using the acidified dairy slurry of Example 1. A mixture consisting essentially of about 15 percent of the acidified acid slurry

of Example 1, about 59.5 percent of a cream cheese substitute (i.e., Kraft Cheezkake Blend™ from Kraft Food Ingredients, Memphis, Tenn.), and about 25.5 percent standard soft cream cheese were blended together to form a homogenous non-standard cream cheese containing about 54.5 percent moisture and about 34.5 percent fat. The non-standard cream cheese could then be packaged and refrigerated for later use. The non-standard cream cheese was ideally suited as an ingredient in industrial food applications and products.

EXAMPLE 3. The non-standard cream cheese of Example 2 (inventive composition) was compared with standard soft cream cheese (control #1) and a 70/30 blend of cream cheese substitute and standard cream cheese (control #2). The cream cheese substitute and standard soft cream cheese used in control #2 were the same as used in Example 2.

All samples were tempered overnight at refrigeration temperature.

Texture was determined using 2x2x2 inch samples with a Ta-XT2 Texture Analyzer with a TA-4 probe (Texture Technologies Corp., Scarsdale, NY). Yield stress was measured using a Haake viscometer with a plate and a PP-20 probe with a 1 mm gap (Thermo Haake, Paramus, NJ); samples were cooled to about 37°F before testing and about 300 data points were obtained.

The viscosity of a cheesecake batter prepared using the inventive and control samples as the cream cheese source was also determined. Yield stress is the stress that must be applied before a material will flow and is often used to measure cream cheese spreadability. The following results were obtained.

Sample	Texture (g)	Yield Stress (Pa)	Cheesecake Batter Viscosity (cP)
Control #1	3597	6891	1149
Control #2	9380	15,124	3492
Inventive	3621	8565	1468

Control #2 (cream cheese substitute and cream cheese blend) was very firm with very high texture, high yield stress, and high batter viscosity as compare to control #1 (cream cheese) and the inventive sample. The inventive sample had a texture, yield stress, and batter viscosity close to that of standard soft
 5 cream cheese.

Using the cheesecake batters containing the various cream cheese ingredients, several cheesecakes were prepared and evaluated. No major differences were observed in baking properties of the various batters; none of the cheesecake cracked. The texture of the cheesecake prepared using the
 10 inventive composition was softer than the cheesecake contained control #2 and was similar to the cheesecake prepared using cream cheese (control #1) as indicated in the following table.

Sample	Cheesecake Texture (g)		
	Outside	Middle	Center
Control #1	94	80	65
Control #2	135	127	67
Inventive	90	78	60

The texture of the cheesecake prepared with the inventive non-standard cream cheese was smoother and creamier than the one prepared with control #1 and was very similar to the one prepared with standard soft cream cheese
 20 (control #2).

EXAMPLE 4. This example illustrates the preparation of an acidified dairy slurry for use in the present invention in order to prepare a low-cost replacement for Neufchatel cheese. A slurry was prepared by blending a mixture consisting essentially of about 4.8 percent shortening (partially
 25 hydrogenated soybean oil), about 9.9 percent milk protein concentrate, about 6.5 percent non-fat dry milk, about 1.4 percent salt, about 0.5 percent gum, about 0.9 percent lactic acid, about 0.2 percent citric acid, and about 75.6

water. **[Note: total adds to 99.3 percent. Please correct.]** The slurry was then cooked at about 185°F for about 8 minutes, and then cooled to about 5°F to form the acidified dairy slurry. The acidified dairy slurry had a pH of about 4.9 and contained about 76.7 percent moisture and about 4.9 percent fat.

EXAMPLE 5. This example illustrates the preparation of a non-standard Neufchatel cheese using the acidified dairy slurry of Example 1. A mixture consisting essentially of about 22 percent of the acidified acid slurry of Example 4, about 48 percent of a cream cheese substitute (i.e., Kraft Cheezkake Blend™ from Kraft Food Ingredients, Memphis, Tenn.), and about 30 percent standard Neufchatel cheese were blended together and then homogenized at about 1200 psi to form a homogenous non-standard Neufchatel cheese containing about 62 percent moisture and about 24 percent fat. The non-standard Neufchatel cheese could then be packaged and refrigerated for later use.

Using the same techniques as in Example 1, the following parameters were determined for the inventive non-standard Neufchatel cheese and a control Neufchatel cheese as well as a Danish filling composition prepared with the two cheese products.

Sample	Texture (g)	Yield Stress (Pa)	Danish Filling Viscosity (cP)
Control	2407	6215	13,140
Inventive	2150	4101	15,380

The non-standard Neufchatel cheese is ideally suited as an ingredient in industrial food applications and products.

COMPARATIVE EXAMPLE. This comparative example illustrates various, unsuccessful attempts to provide soft, functional, and blendable cream cheese compositions using standard blends of about 70 percent cream

cheese substitute (i.e., Kraft Cheezkake Blend™) and about 30 percent cream cheese. The following attempts were made:

Increased moisture content of 70/30 blend to about 59 percent using higher moisture cream cheese substitute: firmness of 70/30 blend was not
5 decreased.

Increased amount of cream cheese substitute to provide about 59 percent moisture content: firmness not decreased; product cracked and underwent syneresis during storage; dry texture with cultured flavor lacking.

Added lecithin to the 70/30 blend at levels of about 0.1, about 0.3, and
10 about 0.5 percent; firmness not decreased.

Modified pH of 70/30 blend by adding disodium phosphate, sodium hydroxide, and/or citric acid: resulting cheese cake batter was too thin.

Added carob bean gum to the 70/30 blend having modified pH at levels of about 0.08, about 0.1, and about 0.15 percent: did not provide
15 desired thickness with higher pH.

Added about 0.2 percent monoglyceride to 70/30 blend: slight decrease in firmness was not sufficient to provide improved handling in industrial food applications.

Employed fast cooling of 70/30 blend: decreased firmness but resulted
20 in microbiological defects.

Employed cream cheese substitute prepared using liquid soybean oil rather than partially hydrogenated soybean oil): provided very soft texture relative to regular cream cheese; cheesecake batter prepared using cream cheese substitute was very thin and runny; cheesecakes prepared using such
25 batter had an undesirable oily aftertaste.

Increased overall fat content of 70/30 blend: firmness decreased only slightly.

Homogenized 70/30 blend: smoother product but with increased firmness was obtained.

Varied homogenization pressure in preparing cream cheese substitute
in 70/30 blend: firmness of final product not changed.

10005979 120501